

MALONE

CHANGING THE WAY YOU GET THERE[®]

Kayak Saddles with T-Rack Mounting Hardware



Components Included: (4) Kayak Saddles - (8) Mounting Bolts - (8) Washers
(8) Square Nuts - (2) Cam Buckle Load Straps - (2) Safety Tie-Downs

INSTALLATION INSTRUCTIONS

1. Remove the cross bar end cap from one side of the front cross bar.
2. Assemble a saddle by installing two Bolts with Washers through the topside Base as shown (see Image A).
3. Install a Square Nut onto each Bolt from the bottom side of the Base (see Image B). NOTE: The Nuts will be tight when first applied. Use supplied Allen Wrench to thread the Nut onto the Bolt.
4. With the Saddle, align the Nuts with the cross bar t-channel and slide into place (see Image C). Note: The Saddle must be oriented with the Directional Arrow (see Image D) pointing towards the inside of the roof. Note: The Nut is designed to fit both styles of T-slot. Rotate to find correct fit.
5. Install the second Saddle with the Arrow pointing towards the inside. The end result is two Saddles with the arrows facing inward, loosely positioned on the front cross bar.
6. Repeat all above steps for the rear cross bar so that all four saddles are installed on the front and rear cross bars.
7. Gently place the kayak onto the cross bars. Position the saddles under the kayak and firmly tightening all eight Bolts with Hex Wrench provided (see Image E). Replace front and rear cross bar end caps.
8. Finish by dressing the front and rear Load Straps under the cross bars and up and over the kayak.
9. For added security, install the supplied Safety Tie-Downs per attached instructions.

MALONE AUTO RACKS, 81 County Road, Westbrook, Maine 04092

Phone: 207-774-9100 Fax: 207-615-0551

Website: www.maloneautoracks.com Email: technical@maloneautoracks.com


MALONE[®]

CHANGING THE WAY YOU GET THERE


MPG306 BOW & STERN LINE KIT



Attach hook to rope (steps A-D)




Thread free end of cord through hook.



Create a "left over right" knot & tighten.



Create a "right over left" knot & tighten.



Pull to test for knot strength.


Attach and dress rope to vehicle and boat (steps E-O)



Attach S-hook to vehicle tow ring or other sturdy body part.



Keeping the rope tight and S-hook in place, thread the free end up and through a strong point on the kayak



Make a loop in the rope 12" to 14" away from the kayak or canoe.



Bend the loop over leaving a large opening as shown.



Pass the loop through the opening.



Pull to create a tight knot.



Thread the free end of the rope through the loop.



Pull the free end up until the rope is sufficiently tight.



Hold the rope secure with one hand.



Form a knot with the free end and tighten. Form a second knot for safety purposes.



The line should be tight and secure. Repeat for second tie-down.

MALONE[®]

CHANGING THE WAY YOU GET THERE

Limited Lifetime Warranty

The Malone Auto Racks (Malone) Limited Lifetime Warranty covers certain Malone-brand products that have been specifically identified for inclusion in the program and is effective for as long as the original retail purchaser owns the product. This warranty is terminated when the original retail purchaser sells or otherwise transfers the product to any other person or entity.

Subject to the limitations and exclusions described in this warranty, Malone will remedy defects in materials and/or workmanship by repairing or replacing, at its option, a defective product without charge for parts or labor. Malone may elect, at its option, not to repair or replace a defective product but rather issue to the original retail purchaser a refund equal to the purchase price paid for the product, or credit to be used toward the purchase of a replacement Malone product.

This warranty does not cover, and no warranty is given for defects or problems caused by normal wear and tear which includes but is not limited to surface (aesthetic) metal corrosion, scratches, dents, deformities, accidents, unlawful vehicle operation, or any modification of a product not performed or authorized in writing by Malone.

In addition, this warranty does not cover problems resulting from conditions beyond Malone's control including, but not limited to, theft, misuse, overloading, or failure to assemble, mount or use the product in accordance with Malone's written instructions or guidelines included with the product available to the original retail purchaser.

No warranty is given for Malone products purchased outside of the continental United States, Canada and Mexico.

If the product is believed to be defective, the original retail purchaser should contact the Malone dealer from whom it was purchased, who will give the original retail purchaser instructions on how to proceed. If the original retail purchaser is unable to contact the Malone dealer, or the dealer is not able to remedy the defect, the original retail purchaser should contact Malone by email at technical@maloneautoracks.com.

In the event that the product must be returned to Malone, a technician at the email address above will provide the original purchaser with return shipping instructions. The original purchaser will be responsible for the cost of mailing the product to Malone. In order to receive any remedy under this warranty, a copy of the original purchase receipt, a description of the defect and a return address must be provided.

Disclaimer of Liability

Repair or replacement of a defective product, or the issue of a refund or credit (as determined by Malone) is the original retail purchaser's exclusive remedy under this warranty. Damage to original purchaser's vehicle, cargo, or property, and/or to any other person or property is not covered by this warranty.

This warranty is expressly made in lieu of any and all other warranties, express or implied, including the warranties of merchantability and fitness for a particular purpose.

Malone's sole liability is limited to the remedy set forth above. In no event will Malone be liable for any direct, indirect, consequential, incidental, special, exemplary, or punitive damages, or, for any other damages of any kind or nature (including but not limited to, lost profits, lost income or lost sales).

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations may not be applicable. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

In addition, all vehicular transports are potentially hazardous. Any person using MALONE products are personally responsible for following the given directions for use, installation and accepts full responsibility for any and all damages or injury of any kind including death, which may result from their use.